

Applicant : Craig John Simonds et al.
Appln. No. : 10/696,597
Page : 2

In the Claims:

This listing of claims will replace all prior versions and listings, of claims in the application:

1. (currently amended) A system for providing vehicle context information for onboard vehicle devices, said system comprising:

a monitor for monitoring a plurality of onboard vehicle devices and ~~receiving context information~~ acquiring data;

an identifier for identifying context information for the data related to each of the plurality of monitored onboard vehicle devices;

a data storage device having memory for storing vehicle context information for the plurality of onboard vehicle devices; and

an application programming interface for communicating the data storage device with a requesting device onboard the vehicle, wherein the application programming interface downloads the vehicle context information to the requesting device.

2. (original) The system as defined in claim 1, wherein the vehicle context information comprises address pointers that indicate the source of the vehicle context information.

3. (original) The system as defined in claim 1, wherein the data storage device comprises a look-up table.

4. (original) The system as defined in claim 1, wherein the application programming interface comprises an agent for downloading the vehicle context information to the requesting device.

5. (original) The system as defined in claim 1, wherein the vehicle context information comprises status and function information of the plurality of monitored onboard vehicle devices.

Applicant : Craig John Simonds et al.
Appln. No. : 10/696,597
Page : 3

6. (original) The system as defined in claim 1, wherein the monitor receives the vehicle context information from a vehicle onboard diagnostic device and a personal device.

7. (original) The system as defined in claim 1, wherein the interface comprises a wireless interface.

8. (original) The system as defined in claim 1, wherein the requesting device communicates with a service.

9. (original) The system as defined in claim 8, wherein the service is off-board the vehicle.

10. (original) The system as defined in claim 1, wherein the requesting device comprises a portable requesting device.

11. (original) The system as defined in claim 1, wherein the vehicle context information comprises vehicle centric information.

12. (currently amended) A method of providing vehicle context information for use with onboard vehicle devices, said method comprising the steps of:

sensing the presence of each of a plurality of onboard vehicle devices;

identifying ~~status and function of~~ vehicle context information for data related to each of the plurality of onboard vehicle devices;

storing in memory the ~~status and~~ vehicle context information available from each of the plurality of onboard vehicle devices;

communicating with an onboard requesting vehicle device; and

downloading at least some of the stored vehicle context information to the requesting vehicle device.

Applicant : Craig John Simonds et al.
Appln. No. : 10/696,597
Page : 4

13. (original) The method as defined in claim 12, wherein the step of storing the vehicle context information comprises storing in memory address pointers indicative of the source of the vehicle context information.

14. (original) The method as defined in claim 12, wherein the step of identifying vehicle context information comprises identifying status and function of each of the plurality of monitored onboard vehicle device.

15. (original) The method as defined in claim 12, wherein the requesting device further communicates with a service.

16. (original) The method as defined in claim 15, wherein the service is off-board the vehicle.

17. (original) The method as defined in claim 12, wherein the step of monitoring a plurality of onboard vehicle devices comprises monitoring vehicle control devices and user portable devices.

18. (original) The method as defined in claim 12 further comprising the step of determining how to access the vehicle context information from one or more sources.

19. (original) The method as defined in claim 12, wherein the step of communicating with the onboard vehicle requesting device comprises wireless communication.